

H S Faruque *et al* 1987 *J. Phys. D: Appl. Phys.* **20** 939-944

Anelastic and dielectric properties of polyether-polyamide copolymer PEBAX studied by a thermally stimulated depolarisation current method

H S Faruque and C Lacabanne

Lab. de Phys. des Solides, Univ. Paul Sabatier, Toulouse, France

Print publication: Issue 7 (14 July 1987)

Abstract. The analysis of some dielectric properties of poly-(ether block amide) PEBAX having a hard-segment polyamide 12 ($M_n=4200$) and soft-segment polytetramethylene glycol ($M_n=2032$) has been done by a thermally stimulated depolarisation current method. The relaxation peaks resulting from molecular motions are similar to those observed in pure homopolymers. The mechanical properties of PEBAX depend primarily on the hard-segment contents. The domain morphology is affected by thermal treatment. The existence of separate glass transition peaks representative of PTMG and PA12 in PEBAX has been confirmed by a compensation law.

doi:10.1088/0022-3727/20/7/017

URL: <http://stacks.iop.org/0022-3727/20/939>

Full text

PDF (660 KB)

References

Article options

[E-mail abstract](#)

[Download to citation manager](#)


[Link to this article](#)

[Information about](#)

[Filing Cabinet](#)

Find related articles

By author

H S Faruque 

☒ IOP

☐ CrossRef

Search



Search highlighted text [\(Help\)](#)

Recommend

[Recommend this article](#)

[Recommend this journal](#)

Authors &

Referees

[Submit an article](#)

[Track your article](#)

[Referees](#)

Reasons to login

[Set up an E-mail alert](#)

[Use your Filing](#)

[Cabinet](#)

[Login](#)

